

SECTION 1: Identification

1.1. GHS Product identifier

Product form	: Article				
Product name	: VSH Tectite Pro				
45756	45126	45878	45682	65267	65892
45684	45128	45880	45754	65516	65894
45764	45130	45882	65114	65524	65895
45848	45230	45540	65121	65526	65866
45452	45232	45530	65123	65646	65666
45454	45234	45532	65141	65746	65502
45310	45145	45534	65143	65840	75980
45312	45146	45680	65144	65874	75985
45314	45147	45750	65206	65876	

1.2. Other means of identification

Other means of identification : SCIP Number:8078ea46-ded6-4488-8aee-1429ca03f1ed

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Professional use
Recommended use : Product for connecting steel pipes

1.4. Supplier's details

Aalberts integrated piping systems BV
Oude Amersfoortseweg 99
1212AA Hilversum - The Netherlands
T +31 35 688 4211
quality@aalberts-ips.com - www.aalberts-ips.eu

1.5. Emergency phone number

Country	Official advisory body	Address	Emergency number	Remark
Netherlands	Nationaal Vergiftigingen Informatie Centrum Universitair Medisch Centrum Utrecht, Het Nationaal Vergiftigingen Informatie Centrum (NVIC) informeert (dieren-)artsen, apothekers en andere professionele hulpverleners over de mogelijke gezondheidseffecten en behandelingsmogelijkheden bij vergiftigingen. Het NVIC is hiervoor dag en nacht bereikbaar, zowel telefonisch als via internet	Huispostnummer B.00.118 Postbus 85500 3508 GA Utrecht	+31 (0)88 755 8000	Only for the purpose of informing medical personnel in cases of acute intoxications

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin sensitisation, Category 1	H317
Carcinogenicity, Category 1A	H350
Reproductive toxicity, Category 1A	H360
Reproductive toxicity, Additional category, Effects on or via lactation	H362

VSH Tectite Pro

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Specific target organ toxicity — Repeated exposure, Category 1 H372

Hazardous to the aquatic environment — Acute Hazard, Category 1 H400

Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects : Steel products are not considered as hazardous. However, individual customer processes such as welding, sawing, brazing, grinding, abrasive blasting, and machining may result in the formation of fumes, dust (combustible or otherwise), and/or particulate that may present the described hazards.

2.2. GHS Label elements, including precautionary statements

No labelling obligation.

2.3. Other hazards which do not result in classification

No additional information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : CC499K or CW602N

Name	Product identifier	%	Classification according to the United Nations GHS
Copper	CAS-No.: 7440-50-8	50 – 90	Aquatic Acute 1, H400 (M=10)
Zinc	CAS-No.: 7440-66-6	3 – 50	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lead	CAS-No.: 7439-92-1	0.2 - 0.35	Carc. 2, H351 Repr. 1A, H360 Lact., H362 STOT RE 1, H372 Aquatic Acute 1, H400
Nickel	CAS-No.: 7440-02-0	< 1	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Arsenic	CAS-No.: 7440-38-2	0,01 – 0,25	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation), H331 Carc. 1A, H350 Repr. 1A, H360 STOT RE 1, H372 Aquatic Acute 3, H402 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Not specifically applicable to the product (as is).
First-aid measures after skin contact : Not applicable.
First-aid measures after eye contact : Not applicable.
First-aid measures after ingestion : Ingestion is not considered a potential route of exposure. Call a poison center or a doctor if you feel unwell.

VSH Tectite Pro

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Fire hazard : Not expected to be a fire/explosion hazard under normal conditions of use.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing. Wear personal protective equipment.
Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place.

VSH Tectite Pro

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available.

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : None under normal use
Eye protection : Safety glasses
Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use
Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available.

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Solid
Appearance : metal
Colour : Not available
Odour : Not available
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available
Flammability (solid, gas) : Non flammable.
Explosive limits : Not applicable
Lower explosive limit (LEL) : Not applicable
Upper explosive limit (UEL) : Not applicable
Flash point : Not applicable
Auto-ignition temperature : Not applicable
Decomposition temperature : Not available
pH : Not available
pH solution : Not available
Viscosity, kinematic (calculated value) (40 °C) : Not applicable
Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50 °C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20 °C : Not applicable
Solubility : Not available
Particle size : Not available
Particle size distribution : Not available
Particle shape : Not available
Particle aspect ratio : Not available

VSH Tectite Pro

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Particle specific surface area : Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Zinc (7440-66-6)	
LD50 oral rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 5410 mg/m ³

Nickel (7440-02-0)	
LD50 oral rat	> 9000 mg/kg bodyweight
LC50 Inhalation - Rat	≥ 10,2 mg/l

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.
Reproductive toxicity : May damage fertility or the unborn child. May cause harm to breast-fed children.
STOT-single exposure : Not classified
STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Lead (7439-92-1)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Arsenic (7440-38-2)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

VSH Tectite Pro

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Nickel (7440-02-0)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.

Classification procedure (Hazardous to the aquatic environment, short-term (acute)) : Calculation method

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

Classification procedure (Hazardous to the aquatic environment, long-term (chronic)) : Calculation method

Lead (7439-92-1)

LC50 - Fish [1]	0,44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
-----------------	--

LC50 - Fish [2]	1,17 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
-----------------	---

EC50 - Crustacea [1]	600 µg/l (Exposure time: 48 h - Species: water flea)
----------------------	--

Copper (7440-50-8)

LC50 - Fish [1]	0,0068 – 0,0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
-----------------	---

LC50 - Fish [2]	< 0,3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
-----------------	--

EC50 - Crustacea [1]	0,03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
----------------------	---

EC50 72h - Algae [1]	0,0426 – 0,0535 mg/l (Species: Pseudokirchneriella subcapitata [static])
----------------------	--

EC50 96h - Algae [1]	0,031 – 0,054 mg/l (Species: Pseudokirchneriella subcapitata [static])
----------------------	--

Arsenic (7440-38-2)

LC50 - Fish [1]	12,6 mg/l (Pimephales promelas)
-----------------	---------------------------------

Zinc (7440-66-6)

LC50 - Fish [1]	315 µg/l
-----------------	----------

Nickel (7440-02-0)

LC50 - Fish [1]	15,3 mg/l (Oncorhynchus mykiss)
-----------------	---------------------------------

EC50 - Crustacea [1]	87,5 µg/l (Ceriodaphnia dubia)
----------------------	--------------------------------

NOEC chronic fish	0,124 mg/l
-------------------	------------

12.2. Persistence and degradability

VSH Tectite Pro

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

12.3. Bioaccumulative potential

VSH Tectite Pro

Bioaccumulative potential	No additional information available.
---------------------------	--------------------------------------

VSH Tectite Pro

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

12.4. Mobility in soil

VSH Tectite Pro

Mobility in soil	No additional information available.
------------------	--------------------------------------

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available.




SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with UN RTDG / IMDG / IATA

UN RTDG	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
		
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available.		

14.6. Special precautions for user

UN RTDG

No data available.

IMDG

No data available.

IATA

No data available.

14.7. Transport in bulk according to IMO instruments

Not applicable

VSH Tectite Pro

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available.

SECTION 16: Other information

Issue date : 28/07/2021

Other information : REACH Disclaimer:
This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-statements:	
H228	Flammable solid
H261	In contact with water releases flammable gases
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H331	Toxic if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child
H362	May cause harm to breast-fed children
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet applicable for regions : NL - Netherlands

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)797676006 | info@chemprosbv.nl