

Printing date 17.10.2023 Version number 306 (replaces version 305)

Revision: 17.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600087
- · Trade name: Silicone Remover E-COLL
- · Article number: 4317784464796, 4317784464802
- · UFI: 3VGQ-GAH0-DA0U-CM2X
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
 SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 Product category
 PC9a Coatings and paints, thippers, paint removers
- PC9a Coatings and paints, thinners, paint removers PC 0.56 solvent
- · Application of the substance / the mixture Cleaning material/ Detergent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3H226 Flammable liquid and vapour.STOT SE 3H336 May cause drowsiness or dizziness.Asp. Tox. 1H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

Trade name: Silicone Remover E-COLL

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Naphtha (petroleum), hydrotreated heavy 2-methoxy-1-methylethyl acetate

· Hazard statements

- H226 Flammable liquid and vapour.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

(Contd. of page 2)

Trade name: Silicone Remover E-COLL

· Dangerous components:			
CAS: 64742-48-9 EC number: 927-241-2 Reg.nr.: 01-2119471843-32-XXXX	Naphtha (petroleum), hydrotreated heavy Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 3, H412	50-100%	
CAS: 108-65-6 EINECS: 203-603-9 Index number: 607-195-00-7 Reg.nr.: 01-2119475791-29-xxxx	2-methoxy-1-methylethyl acetate Flam. Liq. 3, H226 STOT SE 3, H336	10-<25%	

• Regulation (EC) No 648/2004 on detergents / Labelling for contents 30 % and more

aliphatic hydrocarbons

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Dizziness Headache Nausea
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

Trade name: Silicone Remover E-COLL

(Contd. of page 3)

· 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture.



Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Provide floor trough without outlet.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed.



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

Trade name: Silicone Remover E-COLL

(Contd. of page 4)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation. Filter A2

· Hand protection



Protective gloves

· Material of gloves

Fluorocarbon rubber (Viton) Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Impervious protective clothing

FU -



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

Trade name: Silicone Remover E-COLL

(Contd. of page 5)

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical	properties
General Information	
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
· Boiling point or initial boiling point and boiling	
range	>135 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	0.6 Vol %
· Upper:	7 Vol %
· Flash point:	>29 °C
• Auto-ignition temperature:	240 °C
Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
 Kinematic viscosity at 40 °C 	<20.5 mm²/s
 Kinematic: 23 °C - 4 mm (ISO 2431) 	
· Dynamic at 40 °C:	<16 mPas
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	3.4 hPa
 Density and/or relative density 	
· Density at 20 °C:	0.78 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid
	Fiuld
Important information on protection of health	
and environment, and on safety.	Des durat is uset a alfiersitie s
Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of
• • · · · · · · ·	explosive air/vapour mixtures are possible.
Solvent separation test:	
· Organic solvents:	100.0 %
· VOC (EC) %	782,0 g/l
· VOC (EC) g/l	
· VOCV (CH)	100,00 %
Change in condition	
· Drip point:	
· Oxidising properties	Not determined.
· Evaporation rate	Not determined.
 Information with regard to physical hazard 	
classes	
· Explosives	Void
· Flammable gases	Void
1 1411111410 94000	(Contd. on pa



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

Trade name: Silicone Remover E-COLL

		(Contd. of page 6)
· Aerosols	Void	
 Oxidising gases 	Void	
· Gases under pressure	Void	
 Flammable liquids 	Flammable liquid and vapour.	
 Flammable solids 	Void	
 Self-reactive substances and mixtures 	Void	
 Pyrophoric liquids 	Void	
 Pyrophoric solids 	Void	
 Self-heating substances and mixtures 	Void	
· Substances and mixtures, which emit flammal	ble	
gases in contact with water	Void	
 Oxidising liquids 	Void	
 Oxidising solids 	Void	
 Organic peroxides 	Void	
 Corrosive to metals 	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Forms explosive gas mixture with air. Reacts with acids, alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity	Based on available	data, the classification	criteria are not met.
------------------	--------------------	--------------------------	-----------------------

· LD/LC50 values relevant for classification:			
CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy			
Oral LD50 >15,000 mg/kg (rat)			
Dermal	LD50	>5,000 mg/kg (rab)	
Inhalative	LC50/4h	76 ppm (rat)	
CAS: 108-65-6 2-methoxy-1-methylethyl acetate			
Oral	LD50	8,532 mg/kg (rat)	
Inhalative	LC50/4h	35.7 ppm (rat)	
 		(Contd. on page	ge 8)

EU ----



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

Trade name: Silicone Remover E-COLL

(Contd. of page 7)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard

- May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 9)

EU



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

Trade name: Silicone Remover E-COLL

(Contd. of page 8) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.


SECTION 13: Disposal considerations

· 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue

07 01 04* other organic solvents, washing liquids and mother liquors





Printing date 17.10.2023	Version number 306 (replaces version 305)	Revision: 17.10.2023
Trade name: Silicone Remove	er E-COLL	
· Stowage Category	A	(Contd. of page 9)
 14.7 Maritime transport in instruments 	bulk according to IMO Not applicable.	
· Transport/Additional infor	mation:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code 	5L Code: E1 Maximum net quantity per i Maximum net quantity per i 3 D/E	
 IMDG Limited quantities (LQ) Excepted quantities (EQ) UN "Model Regulation": 	5L Code: E1 Maximum net quantity per Maximum net quantity per UN1993, FLAMMABLE LIC ENVIRONMENTALLY HAZ	outer packaging: 1000 ml QUID, N.O.S.,

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Naphtha (petroleum), hydrotreated heavy 2-methoxy-1-methylethyl acetate

· Hazard statements

- H226 Flammable liquid and vapour.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 11)



Printing date 17.10.2023

Version number 306 (replaces version 305)

Revision: 17.10.2023

(Contd. of page 10)

Trade name: Silicone Remover E-COLL

P331 Do NOT induce vomiting.

- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 29
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Product safety department
- · Contact: Head of Product Safety Department
- · Date of previous version: 16.05.2023
- Version number of previous version: 305

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\cdot * Data compared to the previous version altered.