

Printing date 16.10.2023 Version number 305 (replaces version 304)

Revision: 16.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600188
- · Trade name: Fast-drying glue E-COLL
- · Article number: 4317784349215, 4317784349024, 4317784155892, 4317784155908
- · UFI: 2FHJ-H94U-H90U-U6S1

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU21 Consumer uses: Private households / general public / consumersSU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

• Application of the substance / the mixture Adhesives

· 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 1)

| Hazard-determining components of labelling: ethyl 2-cyanoacrylate | | |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--|
| · Hazard state | | |
| | s skin irritation. | |
| | s serious eye irritation. | |
| H335 May ca | ause respiratory irritation. | |
| · Precautiona | iry statements | |
| P101 | If medical advice is needed, have product container or label at hand. | |
| P102 | Keep out of reach of children. | |
| P271 | Use only outdoors or in a well-ventilated area. | |
| P280 | Wear protective gloves / eye protection. | |
| P305+P351+ | -P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if | |
| | present and easy to do. Continue rinsing. | |
| P312 | Call a POISON CENTER/doctor if you feel unwell. | |
| P405 | Store locked up. | |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. | |

· Additional information:

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· Labelling of packages where the contents do not exceed 125 ml

· Hazard pictograms



· Signal word Warning

• Hazard-determining components of labelling: ethyl 2-cyanoacrylate

· Hazard statements

H335 May cause respiratory irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

FU-



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

| CAS: 7085-85-0 | ethyl 2-cyanoacrylate | 50-100% | |
|--------------------------------|--------------------------------------------------------------|---------|--|
| EINECS: 230-391-5 | Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 | | |
| | EUH202 | | |
| Reg.nr.: 01-2119527766-29-xxxx | Specific concentration limit: STOT SE 3; H335: C \geq 10 % | | |
| | | | |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Personal protection for the First Aider. Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air. Seek medical treatment in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water. Induce vomiting, if person is conscious. Seek medical help.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

EU



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 3)

· 5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Product forms slippery surface when combined with water.

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:



Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Use only receptacles specifically permitted for this substance/product.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

EU



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

CAS: 7085-85-0 ethyl 2-cyanoacrylate

Inhalative Long term value for employees 9.25 mg/m³ (industrial use)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes.

· Respiratory protection:

Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Filter A2

Hand protection



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Recommendation: safety glasses with side protection shield
- · Body protection: Protective work clothing

(Contd. on page 6)

EU -



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 5)

SECTION 9: Physical and chemical properties

| | _ |
|------------------------------------------------------------------------|-----------------------------------------------|
| 9.1 Information on basic physical and chemical | properties |
| General Information | Calourland |
| · Colour: | Colourless |
| • Odour: | Pungent |
| • Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling | |
| range | 185 °C |
| · Flammability | Not applicable. |
| Lower and upper explosion limit | |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Flash point: | 85 °C |
| Auto-ignition temperature: | 490 °C |
| Decomposition temperature: | Not determined. |
| · pH | Not determined. |
| · Viscosity: | |
| Kinematic viscosity | Not determined. |
| Kinematic: 23 °C - 4 mm (ISO 2431) | |
| · Dynamic: | Not determined. |
| · Solubility | |
| · water: | Hydrolised. |
| · Partition coefficient n-octanol/water (log value) | |
| · Vapour pressure: | Not determined. |
| Density and/or relative density | |
| · Density at 20 °C: | 1.04 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| | |
| 9.2 Other information | |
| · Appearance: | |
| · Form: | Fluid |
| Important information on protection of health | |
| and environment, and on safety. | |
| Ignition temperature: | Not determined. |
| Explosive properties: | Product does not present an explosion hazard. |
| Solvent separation test: | |
| · Organic solvents: | 0.0 % |
| Change in condition | |
| · Drip point: | |
| • Oxidising properties | Not determined. |
| · Evaporation rate | Not determined. |
| · Information with regard to physical hazard | |
| classes | |
| · Explosives | Void |
| · Flammable gases | Void |
| · Flammable gases · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| | (Contd. on page 7 |
| | (conta: on page 7) |



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

| | | (Contd. of page 6) |
|-----------------------------------------------------------|-------|--------------------|
| · Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| · Pyrophoric liquids | Void | |
| · Pyrophoric solids | Void | |
| · Self-heating substances and mixtures | Void | |
| · Substances and mixtures, which emit flamm | nable | |
| gases in contact with water | Void | |
| · Oxidising liquids | Void | |
| · Oxidising solids | Void | |
| · Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:
 No decomposition if used according to encoiding to

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with water.
 Reacts with alcohols, amines, aqueous acids and alkalis.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

 CAS: 7085-85-0 ethyl 2-cyanoacrylate

 Oral
 LD50
 >5,000 mg/kg (rat)

 Dermal
 LD50
 >2,000 mg/kg (rabbit) (OCED 402)

• Skin corrosion/irritation Causes skin irritation.

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 7)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

(Contd. of page 8)

Trade name: Fast-drying glue E-COLL

15 01 10^{*} packaging containing residues of or contaminated by hazardous substances

| SECTION 14: Transport information | | | |
|-----------------------------------------------------------------------------------|---------------------------|--|--|
| · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA | Void | | |
| · 14.2 UN proper shipping name · ADR | UN- | | |
| · ADN, IMDG, IATA | Void | | |
| · 14.3 Transport hazard class(es) | | | |
| · ADR · Class | | | |
| · Label | - (-) | | |
| · ADN/R Class: | Void | | |
| · IMDG, IATA · Class · Label | Void - | | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | | |
| 14.6 Special precautions for user | Not applicable. | | |
| · 14.7 Maritime transport in bulk according to IMO | | | |
| instruments · UN "Model Regulation": | Not applicable. UN-, - | | |
| | | | |

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the CLP regulation.
 Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling: ethyl 2-cyanoacrylate



Printing date 16.10.2023

Version number 305 (replaces version 304)

Revision: 16.10.2023

Trade name: Fast-drying glue E-COLL

(Contd. of page 9)

 Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P271 Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/doctor if you feel unwell. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· Department issuing SDS: Product safety department

· Contact: sdb@ede.de

- Date of previous version: 09.02.2023
- Version number of previous version: 304

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\cdot * Data compared to the previous version altered.