

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

---

\* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier** 600464
- **Trade name:** Maxi 750 window and assembly foam B2
- **Article number:** 4333097029903
- **UFI:** PGVQ-HYDD-080P-4KV8
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

- **Sector of Use**

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- **Application of the substance / the mixture** Polyurethane sealing

- **1.3 Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH

EDE Platz 1

D-42389 Wuppertal

Germany

Tel. +49 202 6096-0

e-mail: sdb@ede.de

- **Further information obtainable from:** Product safety department

- **1.4 Emergency telephone number:**

Poison Control Center Mainz - 24 hour emergency service – phone: +49 (0) 6131/19240

---

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**

- **Classification according to Regulation (EC) No 1272/2008**

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

(Contd. of page 1)

**· 2.2 Label elements**

**· Labelling according to Regulation (EC) No 1272/2008**

The labelling of an aspiration hazard (Asp.Tox.1 H304) is not required for aerosol dispensers and containers with a sealed spray device (Regulation (EC) 1272/2008, Annex 1,1.3.3).

The product is classified and labelled according to the CLP regulation.

**· Hazard pictograms**



GHS02 GHS07 GHS08

**· Signal word Danger**

**· Hazard-determining components of labelling:**

Polymeric MDI

Reaction products of phosphoryl trichloride and 2-methyloxirane

**· Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

**· Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Additional information:**

"From 24 August 2023, appropriate training must be provided prior to industrial or commercial use".

For persons already sensitised to diisocyanates, handling this product may cause allergic reactions.

Avoid contact, including skin contact, with the product in case of asthma, eczematous skin diseases or skin problems.

Do not use the product with insufficient ventilation or wear protective mask with appropriate gas filter (type

(Contd. on page 3)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

A1 according to EN 14387).

(Contd. of page 2)

**· 2.3 Other hazards****· Results of PBT and vPvB assessment**

The product does not meet the PBT and vPvB classification criteria

Contains no PBT and/or vPvB substances ≥ 0.1%, assessed according to REACH Annex XIII

The mixture does not contain substances with endocrine disrupting properties (according to REACH Article 59(1) or Regulation 2017/2100 or Regulation 2018/605) in a concentration of ≥ 0.1

· **PBT:** Not applicable.· **vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****· 3.2 Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.**· Dangerous components:**

CAS: 9016-87-9	Polymeric MDI ◆ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 ◆ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	25-50%
	Reaction products of phosphoryl trichloride and 2-methyloxirane ◆ Carc. 2, H351 ◆ Acute Tox. 4, H302 Aquatic Chronic 3, H412	
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27-xxxx	isobutane ◆ Flam. Gas 1A, H220 Press. Gas (Comp.), H280	2.5-10%
CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37-xxxx	dimethyl ether ◆ Flam. Gas 1A, H220 Press. Gas (Comp.), H280	2.5-10%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane ◆ Flam. Gas 1A, H220 Press. Gas (Comp.), H280	0-10%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****· 4.1 Description of first aid measures**· **General information:** Personal protection for the First Aider.

(Contd. on page 4)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

(Contd. of page 3)

**· After inhalation:**

Supply fresh air.  
Seek medical treatment in case of complaints.

**· After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

**· After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**· After swallowing:**

Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.

**· 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**· 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

**· 5.1 Extinguishing media**

**· Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**· For safety reasons unsuitable extinguishing agents:** Water with full jet

**· 5.2 Special hazards arising from the substance or mixture** Can form explosive gas-air mixtures.

**· 5.3 Advice for firefighters**

**· Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

**· Additional information** Cool endangered receptacles with water spray.

**SECTION 6: Accidental release measures**

**· 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation

**· 6.2 Environmental precautions:** No special measures required.

(Contd. on page 5)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

(Contd. of page 4)

**· 6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**· 7.1 Precautions for safe handling**

**· Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

**· 7.2 Conditions for safe storage, including any incompatibilities**

**· Storage:**

**· Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

Store in a cool and dry place.

**· Information about storage in one common storage facility:** Store away from oxidising agents.

**· Further information about storage conditions:** Protect from heat and direct sunlight.

**· 7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**· 8.1 Control parameters**

**· Ingredients with limit values that require monitoring at the workplace:**

**CAS: 115-10-6 dimethyl ether**

IOELV | Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

**· Additional information:** The lists valid during the making were used as basis.

(Contd. on page 6)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

(Contd. of page 5)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

Short term filter device:  
Filter A/P2

· **Hand protection**



Protective gloves

· **Material of gloves**

Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.4$  mm

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:** Protective work clothing

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Aerosol

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Not applicable, as aerosol.

(Contd. on page 7)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

· <b>Flammability</b>	Extremely flammable aerosol.	(Contd. of page 6)
· <b>Lower and upper explosion limit</b>		
· <b>Lower:</b>	Not determined.	
· <b>Upper:</b>	Not determined.	
· <b>Flash point:</b>	-42 °C (CAS: 115-10-6 dimethyl ether)	
· <b>Decomposition temperature:</b>	Not determined.	
· <b>pH</b>	Not determined.	
· <b>Viscosity:</b>	Not determined.	
· <b>Kinematic viscosity</b>	Not determined.	
· <b>Kinematic: 23 °C - 4 mm (ISO 2431)</b>	Not determined.	
· <b>Dynamic:</b>	Not determined.	
· <b>Solubility</b>	Not miscible or difficult to mix.	
· <b>water:</b>	Not determined.	
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.	
· <b>Vapour pressure:</b>	Not determined.	
· <b>Density and/or relative density</b>	Not determined.	
· <b>Density:</b>	Not determined.	
· <b>Relative density</b>	Not determined.	
· <b>Vapour density</b>	Not determined.	
· <b>9.2 Other information</b>		
· <b>Appearance:</b>		
· <b>Form:</b>	Aerosol	
· <b>Important information on protection of health and environment, and on safety.</b>		
· <b>Ignition temperature:</b>	Product is not selfigniting.	
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· <b>Solvent separation test:</b>		
· <b>Organic solvents:</b>	11-25 %	
· <b>VOC (EC) %</b>	<17.00 %	
· <b>VOC (EC) g/l</b>	<178.0 g/l	
· <b>Change in condition</b>		
· <b>Evaporation rate</b>	Not applicable.	
· <b>Information with regard to physical hazard classes</b>		
· <b>Explosives</b>	Void	
· <b>Flammable gases</b>	Void	
· <b>Aerosols</b>	Extremely flammable aerosol. Pressurised container: May burst if heated.	
· <b>Oxidising gases</b>	Void	
· <b>Gases under pressure</b>	Void	
· <b>Flammable liquids</b>	Void	
· <b>Flammable solids</b>	Void	
· <b>Self-reactive substances and mixtures</b>	Void	
· <b>Pyrophoric liquids</b>	Void	
· <b>Pyrophoric solids</b>	Void	
· <b>Self-heating substances and mixtures</b>	Void	
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void	

(Contd. on page 8)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

(Contd. of page 7)

· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity** Harmful if inhaled.

- **LD/LC50 values relevant for classification:**

**CAS: 9016-87-9 Polymeric MDI**

Oral	LD50	49,000 mg/kg (rat)
Dermal	LD50	>9,400 mg/kg (rabbit)
Inhalative	LC50/4h	0.49 ppm (rat)

**Reaction products of phosphoryl trichloride and 2-methyloxirane**

Oral	LD50	2,000 mg/kg (rat)
------	------	-------------------

**CAS: 115-10-6 dimethyl ether**

Inhalative	LC50/4h	308 ppm (rat)
------------	---------	---------------

**CAS: 74-98-6 propane**

Inhalative	LC50/4h	>20 mg/m <sup>3</sup> (rat)
------------	---------	-----------------------------

- **Primary irritant effect:**

- **Skin corrosion/irritation** Causes skin irritation.

- **Serious eye damage/irritation** Causes serious eye irritation.

(Contd. on page 9)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

(Contd. of page 8)

**· Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.

**· Germ cell mutagenicity** Based on available data, the classification criteria are not met.**· Carcinogenicity** Suspected of causing cancer.**· Reproductive toxicity** Based on available data, the classification criteria are not met.**· STOT-single exposure** May cause respiratory irritation.**· STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.**· Aspiration hazard** Based on available data, the classification criteria are not met.**· 11.2 Information on other hazards****· Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:****CAS: 75-28-5 isobutane**

EC50 (48h) | 69.43 mg/L (daphnia)

**· 12.2 Persistence and degradability** No further relevant information available.**· 12.3 Bioaccumulative potential** No further relevant information available.**· 12.4 Mobility in soil** No further relevant information available.**· 12.5 Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**· 12.7 Other adverse effects****· Additional ecological information:****· General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 10)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. of page 9)

**SECTION 13: Disposal considerations****· 13.1 Waste treatment methods:**

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

**· European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 05 00	wastes not otherwise specified in 08
08 05 01*	waste isocyanates
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00	gases in pressure containers and discarded chemicals
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP7	Carcinogenic
HP13	Sensitising

**SECTION 14: Transport information****· 14.1 UN number or ID number**

· ADR, IMDG, IATA UN1950

**· 14.2 UN proper shipping name**

· ADR UN1950 AEROSOLS  
· IMDG AEROSOLS  
· IATA AEROSOLS, flammable

**· 14.3 Transport hazard class(es)**

· ADR



· Class

2 5F Gases.

(Contd. on page 11)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2****· Label**

2.1

(Contd. of page 10)

**· IMDG, IATA****· Class**  
**· Label**2 Gases.  
2.1**· 14.4 Packing group**  
**· ADR, IMDG, IATA**

Void

**· 14.5 Environmental hazards:**

Not applicable.

**· 14.6 Special precautions for user**

Warning: Gases.

**· Hazard identification number (Kemler code):**

-

**· EMS Number:**  
**· Stowage Code**

F-D,S-U

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class 2.

**· Segregation Code****· 14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**· Transport/Additional information:****· ADR**

1L

**· Limited quantities (LQ)**

Code: E0

**· Excepted quantities (EQ)**

Not permitted as Excepted Quantity

**· Transport category**

2

**· Tunnel restriction code**

D

**· IMDG**

1L

**· Limited quantities (LQ)**

Code: E0

**· Excepted quantities (EQ)**

Not permitted as Excepted Quantity

(Contd. on page 12)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

(Contd. of page 11)

**SECTION 15: Regulatory information**· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**

GHS02



GHS07



GHS08

· **Signal word** Danger· **Hazard-determining components of labelling:**

Polymeric MDI

Reaction products of phosphoryl trichloride and 2-methyloxirane

· **Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment**· **Named dangerous substances - ANNEX I** Methanol· **Seveso category** P3a FLAMMABLE AEROSOLS· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t

(Contd. on page 13)

EU

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

**Trade name: Maxi 750 window and assembly foam B2**

(Contd. of page 12)

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

· Exposure scenario(s)

Exposure scenario(s) of ingredients (if present) are available on request at:

sdb@ede.de

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· Contact: sdb@ede.de

(Contd. on page 14)

EU

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

---

Printing date 11.03.2025

Version number 301

Revision: 11.03.2025

---

**Trade name: Maxi 750 window and assembly foam B2**

---

(Contd. of page 13)

· **Date of previous version:** 11.03.2025

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· \* **Data compared to the previous version altered.**

---

EU